

Inventory Manager

Inventory Tracking, Distribution, Restocking, and Analytics

What Is It?

To keep your operations running smoothly and serving customers, you rely on an inventory of key parts and fixtures that's ready when needed. ServiceChannel Inventory Manager tracks your stock of important items as you purchase, use, move, and restock them, so that your locations and customers aren't left waiting.

With accurate records of your inventory across every location, warehouse, and service vehicle, you can minimize operational downtime and increase technician productivity. Plus, management gains continuous visibility to inventory status without manual updates.

Who Is It For? Facility Field Inventory

Managers

Managers

Technicians



Benefits

- → Complete repairs faster and minimize downtime instead of waiting for parts on order. Keep critical parts in stock at or nearby all your locations for fast issue resolution. Technicians can source locally and avoid unnecessary trips to the warehouse.
- → Increase productivity of field technicians. Technicians can find the nearest part, so they spend less time looking and fix issues faster. They can track truck inventory, parts usage, and work orders all in the Provider Mobile app.
- → Procure parts and fixtures centrally for lower costs. Efficiently distribute inventory to locations based on demand, while avoiding overstocking. Store and relocate fixtures as seasonal sales and merchandising programs change.
- → Boost the efficiency of inventory managers. Spend less time with physical audits by tracking inventory flow throughout the life cycle. Gain continuous visibility to every technician's stocking needs, and automate restocking requisitions.





The Inventory Life Cycle

Track the stocks and locations of facilities inventory from purchase request through usage, using workflows integrated with your work orders, invoices, and reporting.



Features

ServiceChannel Inventory Manager empowers technicians to manage their parts needs, so they can get the job done faster, while improving efficiency and reporting for the central office.



- → Self-service on the go. Empower technicians to independently manage their truck inventory, pull parts from warehouses, and bill parts costs to work orders in the SC Provider mobile app.
- → Find parts quickly. Technicians have immediate visibility to parts inventory in their trucks and across all stock locations.
- → Stay in sync. Record parts used in the work order details, and then they're automatically decremented from inventory.
- → Customize roles. Flexible user permissions allow technicians to view, create, and edit stock records as desired.

- → Know where things are. Track inventory across all your location types, including warehouses, service trucks, and retail locations.
- → See where stock is low. Monitor stock levels against the defined minimum and maximum quantities on-hand for each part at each location.
- → Automate routines. Automatically create requisitions to restock based on parts usage or minimum stock levels.
- → Fill needs quickly. Transfer stock between locations to redistribute inventory.

- → Analyze and learn. Monitor trends in parts usage to identify root causes and reduce costs.
- One view of everything. Manage a single parts catalog containing all your inventory across your locations.
- → Record the details. Track data such as the part number, supplier, price, picture, grouping, asset usage, scan codes, and total on-hand quantity for all parts in the catalog.
- → See the big picture. Easily report on parts usage across work orders and on replenishment needs.
- → Act quickly. Import and export multiple parts and stock records to multiple locations in a batch.






Invento										Cr	eate Report	~			
Locations	Parts Catal	og													
😫 Filter B	By Showing 22														
											Add Inve	ntory Part	G	ain visihi	lity of curre
	Number	Name	Туре	2 Gr	roup	Supplier	No	on Catalog Part		Price	Or	n Hand			with a singl
	R449A R449A	R449A	Refri	igerant R4	149A					389.62 Each		373		-	og containi
Ŭ	R448A R448A	R448A	Refri	igerant R4	148A					0.00 Each		48			ock across
	R410A R410A	R410A	Refri	igerant R1	134A					210.88 Each		43	y	our locat	ions.
	R408A R408A	R408A	Refri	igerant R4	108A					212.93 Each		30 🗸			
	R407C 10 lbs of r-407c	R407C	Refri	igerant R4	407C					189.23 Each		244			
8	R407A R407A	R407A	Refri	igerant R4	407A					0.00 Each		43			
	R404A	R404A	Refr	igerant RA	1044					0 00 Fach		180			
	R404A		=	ServiceChanr Product Team	nel w	ork Orders	Proposals II	nvoices Qu	uickView						🛔 ServiceChann 🔻
			Invent	torv										Create	Report 🗸
			Locations		ts Catalog										
			Filter	r By Showing 22	2										
			1 UPLOAD	E DOWNLOAD											Add Inventory Part
ack the	on-hand			Number	3	Curre Name	ency USD								Edit × Close
antity, along with		-	R22			R22 R22							Status Active		
antity,	lantity, along with e minimum and		221			R22	M17	R22							
-	-		1	R22		R22	22	Type R	efrigerant		Group	R22			
e minin	-	ls,				R22 R134A	22 10LA.45kg				Group Supplier	R22			
e minin aximun	mum and	ls,	318	R22 R134ARC		_	22 10L 45kg	Type Re Asset Us	age de	NZ	Group Supplier A Averge	R22	N/A Repla	cement	
e minin aximun	mum and m stock leve	ls,		R22 R134ARC R134ARC R134A R134A G7368674		R134A R134A 52" fa Sto	22 23 23 24 44 44 44 44 44 44 44 44 44 44 44 44	Type Re Asset Us Scan Coe	age de	№ Туре	Supplier A Averge	R22	N/A Repla	Cement Showing 3	
e minin aximun	mum and m stock leve	ls,		R22 R134ARC R134AR R134A G7368674 52" Two Speed belt		R134A R134A 52" fa Sto Belt	vck Records	Type Re Asset Us Scan Coo 398.25 E	age de ach		Supplier A Averge	Status			On Hand
e minin aximun	mum and m stock leve	ls,		R22 R134ARC R134ARC R134A R134A G7368674		R134A R134A 52" fa Belt 50" fa Belt	Name	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber		Supplier A Averge	Status	Minimum	Showing 3 Maximum	
e minin aximun	mum and m stock leve	ls,		R22 R134ARC R134ARC R134A R134A G7368674 52° Two Speed belt G7368673 50° Two Speed belt G7368672		R134A R134A 52" fa Belt 50" fa Belt 48" fa		Type R 4 Asset Us Scan Cot 398.25 E	age de ach V Number		Supplier A Averge	Status	Y	Showing 3	On Hand 0
e minin aximun	mum and m stock leve	ls,	886	R22 R134ARC R134ARC R134AA R134A S27 Two Speed belt G7368673 S0° Two Speed belt G7368672 48° Two Speed belt		R134A R134A S2" fa Belt 50" fa Belt 48" fa Belt half	Name	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber		Supplier A Averge	Status	Minimum	Showing 3 Maximum	
e minin aximun	mum and m stock leve	ls,	886	R22 R134ARC R134ARC R134A R134A G7368674 52° Two Speed belt G7368673 50° Two Speed belt G7368672	+ 1725 DD	R134A R134A S2" fa Belt 48" fa Belt	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge	Status	Minimum 15	Showing 3 Maximum 50	0 100
e minin aximun ross all	mum and m stock leve l locations.	ls, work Ol	 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A R134A G7368674 52° Two Speed belt G7368673 50° Two Speed belt G7368673 S0° Two Speed belt Shpef	τ, 1725 RP	R134A S2" fa S52" fa Beit Beit A8" fa Beit haif horse motor in 1	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status	Minimum 15	Showing 3 Maximum 50	0
e minin aximun ross all	mum and m stock leve l locations.		 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	τ, 1725 RP	R134A S2" fa S52" fa Beit Beit A8" fa Beit haif horse motor in 1	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status	Minimum 15	Showing 3 Maximum 50	0 100
e minin aximun ross all	mum and m stock leve l locations.		 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	τ, 1725 RP	R134A S2" fa S52" fa Beit Beit A8" fa Beit haif horse motor in 1	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status	Minimum 15	Showing 3 Maximum 50	0 100
e minin aximun ross all	mum and m stock leve l locations.		 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	τ, 1725 RP	R134A S2" fa S52" fa Beit Beit A8" fa Beit haif horse motor in 1	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15	Showing 3 Maximum 50	0
e minin aximun ross all	mum and m stock leve llocations.		 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	th, 1725 RP es QuickVic 4212	R134A R134A S2" fa Belt Belt A8" fa Belt III half horse motor	Name James Michael F	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status	Minimum 15	Showing 3 Maximum 50	0
e minin aximun ross all E E Fiter B E UPLOAD	mum and m stock leve llocations.	Work Or	 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	th, 1725 RP es QuickVie Leum's Place Bradford YO	R134A R134A S22" fa S20" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa S0" f	Name James Michael F Leum's Place	Type R 4 Asset Us Scan Cot 398.25 E	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15	Showing 3 Maximum 50 Total O	0 100
e minin aximun ross all E Filter B E UPLOAD Num	mum and m stock leve llocations.	Work Or	 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt G7368672 48" Two Speed belt Shpef Moor, 1/2 HP, Spilt P	h, 1725 RP es QuickVie Leum's Place 4212 South R	R134A R134A S22" fa S20" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa S0" f	Name James Michael F Leum's Place	Type R Asset US Scan Cor 398.25 E lame	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum	Showing 3 Maximum 50 Total O Danage in om purcl	o 100 NHand 150 Ventory floo nase throug
e minin aximun ross all È Fiter B È UPLOAD Num @ 4211 îii 4212	mum and m stock leve llocations.	Work Or Type Truck	 8 8 8 8 8 8 9 9<	R22 R134ARC R134ARC R134A G7368674 52° Two Speed belt G7368672 48° Two Speed belt G7368672 48° Two Speed belt G7368672 A8° Two Speed belt C736872 A8° Two Speed belt C736872 A8° Two Speed belt C736872 C73772 C73	th, 1725 RP es QuickVie Leum's Place Bradford YO	R134A R134A S22" fa S20" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa Belt S0" fa S0" f	Name James Michael F Leum's Place	Type R Asset US Scan Cor 398.25 E lame	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum	Showing 3 Maximum 50 Total 0 Ianage in om purcl sage and	o 100 NHand 150 ventory flow nase throug invoicing,
e minin aximun ross all È Fiter B È UPLOAD Num @ 4211 îii 4212	mum and m stock lever llocations.	Work Or Type Truck Location	Vertex Pro-	R22 R134ARC R134ARC R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt Shpef Motor, 1/2 HP, Spit P Motor, 1/2 HP, Spit P	th, 1725 RP es QuickVie Leum's Place Bradford YO	(Location) (Location) Son fa Belt Belt motor = 1 (Location) Son fa Belt Elt Elt Elt Elt Elt Elt Elt E	Name James Michael F Leum's Place	Type R Asset US Scan Cor 398.25 E lame	age de ach Vumber 4211		Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum 15 1 N fr u: in se	Showing 3 Maximum 50 Total 0 Total 0 Total 0 Total 0 Total 0	o 100 N Hand 150 ventory flow nase throug invoicing, warehouses cks, and
e minin aximun ross all Set Piter B UPLOAD Num ell 4212 Ell 4212 Ell Sout Read Ward	mum and m stock lever llocations.	Work Or Type Truck Location Warehouse	e construction of the second s	R22 R134ARC R134ARC R134ARC R134A G7368674 52° Two Speed belt G7368673 50° Two Speed belt G7368672 48° Two Speed belt Shpef Motor, 1/2 HP, Spit P Motor, 1/2 HP, Spit P Location	tı, 1725 RP es QuickVie Leum's Place Bradford VT O USA	(Location) (Location) Son fa Belt Belt motor = 1 (Location) Son fa Belt Elt Elt Elt Elt Elt Elt Elt E	Name James Michael F Leum's Place	Type Rt Asset Us Scan Cot 398.25 E larme	age de la	✓ Type	Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum 15 1 N fr u: in se	Showing 3 Maximum 50 Total 0 Total 0 anage in om purcl sage and cluding to	o 100 N Hand 150 ventory flow nase throug invoicing, warehouses cks, and
e minin aximun ross all Set Piter B UPLOAD Num ell 4212 Ell 4212 Ell Sout Read Ward	mum and m stock lever llocations.	Work Or Type Truck Location Warehouse	eders Pro	R22 R134ARC R134ARC R134ARC R134A G7368674 52° Two Speed belt G7368673 48° Two Speed belt Shpef Motor, 1/2 HP, Spit P oposals Invoice	tı, 1725 RP es QuickVie Leum's Place Bradford VT O USA Name	(Location) add S533 Reg	James Michael F James Michael F Leurn's Place	Type Rt Asset Us Scan Cot 398.25 E larme	y Number Number 4211 4212	Showing 10	Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum 15 1 N fr u: in se	Showing 3 Maximum 50 Total 0 Total 0 Total 0 Total 0 Total 0	o 100 N Hand 150 ventory flow nase throug invoicing, warehouses cks, and
e minin aximun ross all Set Piter B UPLOAD Num ell 4212 Ell 4212 Ell Sout Read Ward	mum and m stock lever llocations.	Work Or Type Truck Location Warehouse	e construction of the second s	R22 R134ARC R134ARC R134A R134A G7368674 52" Two Speed belt G7368673 50" Two Speed belt Shpef Motor, 1/2 HP, Split P Motor, 1/2 HP, Split P	h, 1725 RP es QuickVie Bradford VT O USA Name Name	(Location) (Location) (Location) and source and control and cont	I James Michael F Leum's Place	Type R Asset US Scan Cor 398.25 E lame District 12	iage ach Number 4211 4212 Below Minimum	V Type	Supplier A Averge Type Truck Location	Status I eChann▼	Minimum 15 1 Minimum 15 1 N fr u: in se	Showing 3 Maximum 50 Total 0 Total 0 Total 0 Total 0 Total 0	o 100 NHand 150 ventory flow nase throug invoicing, warehouses cks, and
e minin aximun ross all Set Piter B UPLOAD Num ell 4212 Ell 4212 Ell Sout Read Ward	mum and m stock lever llocations.	Work Or Type Truck Location Warehouse	rders Pro	R22 R134ARC R134ARC R134ARC R134ARC S134ARC S134ARC G7368674 S2 ⁷ Two Speed belt G7368673 48 ⁷ Two Speed belt Shpef Motor, 1/2 HP, Spit P Motor,	h, 1725 RP es QuickVite Leum's Place 4212 South R Bradford VT O USA Name Belt drive e	(Location) (Location) (Location) and source and control and cont	James Michael F James Michael F Leum's Place gion 1 Type Type Fan	Type Rv Asset Us Scan Coi 398.25 E Iame Cabey District 12 Group Group	iage ach Number 4211 4212 Below Minimum	Showing 10	Supplier A Averge Type Truck Location Servic	Status I eChann▼	Minimum 15 1 Minimum 15 1 N fr u: in se	Showing 3 Maximum 50 Total 0 Total 0 Total 0 Total 0 Total 0	o 100 NHand 150 ventory flow nase throug invoicing, warehouses cks, and







About ServiceChannel

ServiceChannel, the #1 Facilities Management Platform, is used by global multi-location brands to see inside their buildings, assets, and provider networks — and deliver amazing customer experiences at every location. The ServiceChannel platform captures the industry's richest performance data, with billions of data points drawn from 100 million work orders and over 70,000 providers. Industry leaders such as Louis Vuitton, Bloomin' Brands, CVS Health, and Trader Joe's rely on insights from our platform to work with the best providers, optimize spend, and deliver impeccable customer experience. ServiceChannel is a privately held company funded by Accel, based in the San Francisco Bay Area.

Q